

## Bearing No. index

Bearing series (series name)	Description	Page
0 <b>02400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229, B231
<b>02800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229, B231, B233
<b>03000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>07000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225, B227
<b>08000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>09000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
1 <b>11000R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237
<b>112</b>	Self-aligning ball bearing, extended inner ring type	A6, A55, A56, B125, B134
<b>113</b>	Self-aligning ball bearing, extended inner ring type	A6, A55, A56, B125, B134
<b>12</b>	Self-aligning ball bearing, open type	A6, A55, A56, B125, B126
<b>12--K</b>	Self-aligning ball bearing, open type, tapered bore	A6, A56, B125, B126
<b>1200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227
<b>12000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239
<b>12500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>13</b>	Self-aligning ball bearing, open type	A6, A55, A56, B125, B126
<b>13--K</b>	Self-aligning ball bearing, open type, tapered bore	A6, A56, B125, B126
<b>1300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>13600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235
<b>13800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235
<b>14000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229, B231
<b>15000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229, B231
<b>15500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229
<b>160</b>	Single-row deep groove ball bearing, open type	A4, A55, B7, B8
<b>16000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235
<b>1700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227
<b>17000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229
<b>17500R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>18000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>18500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B237
<b>18600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239, B241
<b>18700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>19000R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235
<b>1900R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229
<b>1WC</b>	Miniature one-way clutch, with metal spring	B482, B484
2 <b>20DC</b>	Cylindrical roller bearing for railway rolling stock axle journal	C22, C25
<b>21000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>213</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B294
<b>22</b>	Self-aligning ball bearing, open type	A6, A55, A56, B125, B126
<b>22--2RS</b>	Self-aligning ball bearing, sealed type	A6, A56, B125, B132
<b>22--K</b>	Self-aligning ball bearing, open type, tapered bore	A6, A56, B125, B126
<b>222</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B294
<b>223</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B294
<b>23</b>	Self-aligning ball bearing, open type	A6, A55, A56, B125, B126
<b>23--2RS</b>	Self-aligning ball bearing, sealed type	A6, A56, B125, B132
<b>23--K</b>	Self-aligning ball bearing, open type, tapered bore	A6, A56, B125, B126
<b>230</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B296

Bearing series (series name)	Description	Page
<b>230--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B296
<b>231</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B294
<b>231--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B294
<b>232</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B296
<b>232--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B296
<b>23600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233
<b>238</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B314
<b>238--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B314
<b>239</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B300
<b>239--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B300
<b>240</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B298
<b>240--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B298
<b>241</b>	Spherical roller bearing	A10, A55, A56, A59, B291, B298
<b>241--K</b>	Spherical roller bearing, tapered bore	A10, A55, A56, A59, B291, B298
<b>24700R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237
<b>2500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>25500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B239, B241
<b>25800R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233
<b>2600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229
<b>26000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229, B231
<b>26800R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B239
<b>2700R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235
<b>27600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B257, B259
<b>27800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235
<b>28000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235
<b>28500R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243, B245
<b>28600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243, B247
<b>28900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249
<b>2900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>292</b>	Spherical thrust roller bearing	A11, A55, A56, A59, B355, B358
<b>293</b>	Spherical thrust roller bearing	A11, A55, A56, A59, B355, B356
<b>294</b>	Spherical thrust roller bearing	A11, A55, A56, A59, B355, B356
<b>29500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249
<b>29600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B255
<b>2CR</b>	Cylindrical roller bearing for railway rolling stock axle journal	C22, C25
<b>2U</b>	Cylindrical roller bearing for railway rolling stock axle journal	C22, C25
3 <b>302</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B194
<b>303</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B194
<b>3100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229
<b>313</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B214
<b>31500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233
<b>32</b>	Double-row angular contact ball bearing (with filling slot)	A5, A55, A56, B55, B118
<b>320</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B194
<b>322</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B194
<b>323</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B194

## Bearing No. index

Bearing series (series name)	Description	Page
<b>329</b>	Single-row tapered roller bearing, metric series	A9, A55, B185, B198
<b>33</b>	Double-row angular contact ball bearing (with filling slot)	A5, A55, A56, B55, B118
<b>330</b>	Single-row tapered roller bearing, metric series	A9, A55, A56, B185, B196
<b>3300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235
<b>33000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247, B251, B253
<b>331</b>	Single-row tapered roller bearing, metric series	A9, A55, B185, B200
<b>332</b>	Single-row tapered roller bearing, metric series	A9, A55, B185, B196
<b>335</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235, B237
<b>33800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239, B243, B245
<b>3400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B235
<b>34000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B255, B257
<b>3500R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B237, B239
<b>355</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239, B241
<b>365</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B241, B243, B245
<b>3700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239, B243
<b>37000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263, B265
<b>375</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>3800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B237
<b>385</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241, B243, B247
<b>3900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247, B251
<b>395</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243, B249, B251
<b>39500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245, B247, B249, B251
<b>41000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229
<b>415</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B237
<b>42</b>	Double-row deep groove ball bearing	A4, A55, A56, B5, B52
<b>42600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255, B257
<b>43</b>	Double-row deep groove ball bearing	A4, A55, A56, B5, B52
<b>4300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B237
<b>435</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233, B239
<b>4500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245
<b>452</b>	Double-row tapered roller bearing (TDI type)	A9, A55, A56, B284
<b>45200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241, B243, B247
<b>453</b>	Double-row tapered roller bearing (TDI type)	A9, A55, A56, B284
<b>455</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241, B245, B247
<b>46000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239
<b>462</b>	Double-row tapered roller bearing (TDO type)	A9, A55, A56, B268
<b>46T</b>	Double-row tapered roller bearing (TDO type)	A9, A55, A56, B268
<b>47400R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253
<b>475</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249, B253
<b>47600R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255, B257
<b>47800R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>48100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263
<b>48600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>49000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239
<b>495</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255, B257, B259

Bearing series (series name)	Description	Page
<b>49500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239, B243
<b>4UJ</b>	Cylindrical roller bearing for railway rolling stock axle journal	C22, C25
<b>511</b>	Single direction thrust ball bearing with flat back face	A11, A55, A56, A59, B337, B338
<b>512</b>	Single direction thrust ball bearing with flat back face	A11, A55, A56, A59, B337, B338
<b>513</b>	Single direction thrust ball bearing with flat back face	A11, A55, A56, A59, B337, B338
<b>514</b>	Single direction thrust ball bearing with flat back face	A11, A55, A56, A59, B337, B338
<b>52</b>	Double-row angular contact ball bearing	A5, A55, A56, B55, B118
<b>52--2RS</b>	Double-row angular contact ball bearing, contact sealed	A5, A56, B55, B118
<b>52--ZZ</b>	Double-row angular contact ball bearing, shielded	A5, A56, B55, B118
<b>52000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261, B263
<b>522</b>	Double direction thrust ball bearing with flat back faces	A11, A55, A56, B337, B348
<b>523</b>	Double direction thrust ball bearing with flat back faces	A11, A55, A56, B337, B348
<b>524</b>	Double direction thrust ball bearing with flat back faces	A11, A55, A56, B337, B348
<b>525</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B237, B238, B241, B243
<b>53</b>	Double-row angular contact ball bearing	A5, A55, A56, B55, B118
<b>53--2RS</b>	Double-row angular contact ball bearing, contact sealed	A5, A56, B55, B118
<b>53--ZZ</b>	Double-row angular contact ball bearing, shielded	A5, A56, B55, B118
<b>532</b>	Single direction thrust ball bearing with spherical back face	A11, A55, A56, A59, B337, B338
<b>532--U</b>	Single direction thrust ball bearing with aligning seat race	A11, A55, A56, A59, B337, B338
<b>533</b>	Single direction thrust ball bearing with spherical back face	A11, A55, A56, A59, B337, B338
<b>533--U</b>	Single direction thrust ball bearing with aligning seat race	A11, A55, A56, A59, B337, B338
<b>534</b>	Single direction thrust ball bearing with spherical back face	A11, A55, A56, A59, B337, B338
<b>534--U</b>	Single direction thrust ball bearing with aligning seat race	A11, A55, A56, A59, B337, B338
<b>535</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239, B245
<b>542</b>	Double direction thrust ball bearing with spherical back faces	A11, A55, A56, B337, B348
<b>542--U</b>	Double direction thrust ball bearing with aligning seat races	A11, A55, A56, B337, B348
<b>543</b>	Double direction thrust ball bearing with spherical back faces	A11, A55, A56, B337, B348
<b>543--U</b>	Double direction thrust ball bearing with aligning seat races	A11, A55, A56, B337, B348
<b>544</b>	Double direction thrust ball bearing with spherical back faces	A11, A55, A56, B337, B348

## Bearing No. index

Bearing series (series name)	Description	Page
<b>544-U</b>	Double direction thrust ball bearing with aligning seat races	A11, A55, A56, B337, B348
<b>5500R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245, B247, B249, B251
<b>555</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245
<b>56000R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263
<b>565</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249, B251, B253, B256
<b>5700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255
<b>575R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B255, B257
<b>59000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>595</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259, B261
<b>60</b>	Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type	A4, A55, A56, B5, B7, B8, B40
<b>60-2RD</b>	Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed	A4, A56, B5, B6, B20, B42
<b>60-2RS</b>	Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B6, B20, B42
<b>60-2RU</b>	Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed	A4, A56, B5, B6, B20, B42
<b>60-N</b>	Single-row deep groove ball bearing, snap ring groove type	A4, A56, B5, B32
<b>60-NR</b>	Single-row deep groove ball bearing, snap ring groove type, locating snap ring type	A4, A56, B5, B32
<b>60-ZZ</b>	Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B6, B20, B42
<b>615</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239, B245, B247
<b>62</b>	Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type	A4, A48, A54, A55, A56, B7, B8, B40
<b>62-2RD</b>	Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed	A4, A56, B5, B6, B20, B42
<b>62-2RS</b>	Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B6, B20, B40
<b>62-2RU</b>	Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed	A4, A56, B5, B6, B20, B42
<b>62-N</b>	Single-row deep groove ball bearing, snap ring groove type	A4, A56, B5, B32
<b>62-NR</b>	Single-row deep groove ball bearing, snap ring groove type, locating snap ring type	A4, A56, B5, B32
<b>62-ZZ</b>	Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B6, B20, B40

Bearing series (series name)	Description	Page
<b>63</b>	Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type	A4, A46, A49, A55, A56, B5, B7, B8, B40
<b>63-2RD</b>	Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed	A4, A56, B4, B5, B6, B20
<b>63-2RS</b>	Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B6, B20, B42
<b>63-2RU</b>	Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed	A4, A56, B5, B6, B20, B42
<b>63-N</b>	Single-row deep groove ball bearing, snap ring groove type	A4, A56, B5, B32
<b>63-NR</b>	Single-row deep groove ball bearing, snap ring groove type, locating snap ring type	A4, A56, B5, B32
<b>63-ZZ</b>	Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B6, B20, B40
<b>6300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245, B249, B251
<b>635</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B251
<b>64</b>	Single-row deep groove ball bearing, open type	A4, A55, B7, B8
<b>6400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255
<b>64000R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>65000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245, B247, B249
<b>6500R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259, B261
<b>65300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>655</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B255, B257, B259
<b>66000R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245
<b>66500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245, B247
<b>67</b>	Single-row deep groove ball bearing, open type	A4, A55, B7, B8
<b>67-2RS</b>	Single-row deep groove ball bearing, contact sealed	A4, A56, B5, B6, B20
<b>67-2RU</b>	Single-row deep groove ball bearing, non-contact sealed	A4, A56, B5, B6, B20
<b>67-ZZ</b>	Single-row deep groove ball bearing, shielded	A4, A56, B5, B6, B20
<b>675</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259, B261, B263
<b>68</b>	Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type	A4, A55, A56, B5, B7, B8, B40
<b>68-2RD</b>	Single-row deep groove ball bearing, extremely light contact sealed	A4, A56, B5, B6, B20
<b>68-2RS</b>	Single-row deep groove ball bearing, contact sealed	A4, A56, B5, B6, B20
<b>68-2RU</b>	Single-row deep groove ball bearing, non-contact sealed	A4, A56, B5, B6, B20
<b>68-N</b>	Single-row deep groove ball bearing, snap ring groove type	A4, A56, B5, B32
<b>68-NR</b>	Single-row deep groove ball bearing, snap ring groove type, locating snap ring type	A4, A56, B5, B32
<b>68-ZZ</b>	Single-row deep groove ball bearing, shielded	A4, A56, B5, B6, B20
<b>68000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265

## Bearing No. index

Bearing series (series name)	Description	Page
<b>69</b>	Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type	A4, A55, A56, B5, B7, B8, B40
<b>69-2RD</b>	Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed	A4, A56, B5, B6, B20, B42
<b>69-2RS</b>	Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B6, B20, B42
<b>69-2RU</b>	Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed	A4, A56, B5, B6, B20, B42
<b>69-N</b>	Single-row deep groove ball bearing, snap ring groove type	A4, A56, B5, B32
<b>69-NR</b>	Single-row deep groove ball bearing, snap ring groove type, locating snap ring type	A4, A56, B5, B32
<b>69-ZZ</b>	Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B6, B20, B42
<b>70</b>	Single-row angular contact ball bearing	A5, A55, A56, B55, B62
<b>70-DB</b>	Matched pair angular contact ball bearing, back-to-back arrangement	A5, A56, B55, B90
<b>70-DF</b>	Matched pair angular contact ball bearing, face-to-face arrangement	A5, A56, B55, B90
<b>70-DT</b>	Matched pair angular contact ball bearing, tandem arrangement	A5, A56, B55, B90
<b>71000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263, B265
<b>72</b>	Single-row angular contact ball bearing	A5, A55, A56, B55, B62
<b>72-DB</b>	Matched pair angular contact ball bearing, back-to-back arrangement	A5, A56, B55, B90
<b>72-DF</b>	Matched pair angular contact ball bearing, face-to-face arrangement	A5, A56, B55, B90
<b>72-DT</b>	Matched pair angular contact ball bearing, tandem arrangement	A5, A56, B55, B90
<b>73</b>	Single-row angular contact ball bearing	A5, A55, A56, B55, B62
<b>73-DB</b>	Matched pair angular contact ball bearing, back-to-back arrangement	A5, A56, B55, B90
<b>73-DF</b>	Matched pair angular contact ball bearing, face-to-face arrangement	A5, A56, B55, B90
<b>73-DT</b>	Matched pair angular contact ball bearing, tandem arrangement	A5, A56, B55, B90
<b>74</b>	Single-row angular contact ball bearing	A5, A55, A56, B55, B64
<b>74-DB</b>	Matched pair angular contact ball bearing, back-to-back arrangement	A5, A56, B55, B92
<b>74-DF</b>	Matched pair angular contact ball bearing, face-to-face arrangement	A5, A56, B55, B92
<b>74-DT</b>	Matched pair angular contact ball bearing, tandem arrangement	A5, A56, B55, B92
<b>745R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B255, B257, B259
<b>755</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255, B257, B259, B261
<b>775</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261, B263

Bearing series (series name)	Description	Page
<b>79</b>	Single-row angular contact ball bearing	A5, A55, A56, B55, B62
<b>79-DB</b>	Matched pair angular contact ball bearing, back-to-back arrangement	A5, A56, B55, B90
<b>79-DF</b>	Matched pair angular contact ball bearing, face-to-face arrangement	A5, A56, B55, B90
<b>79-DT</b>	Matched pair angular contact ball bearing, tandem arrangement	A5, A56, B55, B90
<b>835R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253, B259
<b>855R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259, B261, B263
<b>9100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B251
<b>935</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263, B265
<b>98000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B257, B259, B261, B263
<b>A2000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>A4000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>AH22</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B329
<b>AH23</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B326
<b>AH240</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B328
<b>AH241</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B327
<b>AH3</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B326
<b>AH30</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B328
<b>AH31</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B328
<b>AH32</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B329
<b>AHX23</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B326
<b>AHX3</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B326
<b>AHX30</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B327
<b>AHX31</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B327
<b>AHX32</b>	Withdrawal sleeve for spherical roller bearing	A10, A55, A56, B327
<b>AL</b>	Lock plate	C46, C55
<b>ALL</b>	Lock plate	C46, C55
<b>AN</b>	Locknut for adapter sleeve and shaft	C46, C47
<b>ANL</b>	Locknut for adapter sleeve and shaft	C46, C48
<b>AS</b>	Race, thrust needle roller and cage assembly, stamped, metric series	A12, B363, B444
<b>AW</b>	Lockwasher	C46, C53
<b>AW-X</b>	Lockwasher	C46, C53
<b>AXK</b>	Thrust needle roller and cage assemblies, without races, one-piece cage, metric series	A12, B363, B444
<b>BK</b>	Drawn cup needle roller bearing, caged, closed one end, metric series	A8, B363, B414
<b>EWC</b>	Miniature one-way clutch, with synthetic resin spring	B482, B484
<b>F60</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B46
<b>F60-ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>F62</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B46
<b>F62-ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46

## Bearing No. index

Bearing series (series name)	Description	Page
<b>F63</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B48
<b>F63-ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B48
<b>F68</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B46
<b>F69</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B46
<b>F69-ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>FNT</b>	Thrust needle roller and cage assemblies, without races, two-piece cage, metric series	A12, B363, B444
<b>GS.811</b>	Race, thrust needle roller and cylindrical roller, housing piloted, metric series	A12, B363, B444
<b>GS.812</b>	Race for thrust cylindrical roller and cage assembly, housing piloted, metric series	A12, B363, B448
<b>H2-X</b>	Adapter assembly for self-aligning ball bearing	A6, B125, B136
<b>H23</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B320
<b>H23-X</b>	Adapter assembly for self-aligning ball bearing, adapter assembly for spherical roller bearing	A6, A10, A55, A56, B125, B136, B318
<b>H3-X</b>	Adapter assembly for self-aligning ball bearing, adapter assembly for spherical roller bearing	A6, A10, A55, A56, B125, B136, B318
<b>H30</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B320
<b>H30-X</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B318
<b>H31</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B320
<b>H31-X</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B318
<b>H32</b>	Adapter assembly for spherical roller bearing	A10, A55, A56, B323
<b>H414200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249, B251, B253
<b>H715300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249, B251, B253
<b>HH221400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255, B257, B261, B263
<b>HH224300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261, B263, B265
<b>HH228300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>HH506300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>HH926700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>HJ</b>	Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, lubricating hole and lubricating groove in the outer ring, inch series	A8, A55, A56, A59, B363, B440
<b>HJ2</b>	Thrust collar for cylindrical roller bearing	A7, B139, B168
<b>HJ22</b>	Thrust collar for cylindrical roller bearing	A7, B139, B168
<b>HJ23</b>	Thrust collar for cylindrical roller bearing	A7, B139, B168
<b>HJ3</b>	Thrust collar for cylindrical roller bearing	A7, B139, B168
<b>HJ4</b>	Thrust collar for cylindrical roller bearing	A7, B139, B168
<b>HK</b>	Drawn cup needle roller bearing, caged, open ends, metric series	A8, B363, B414
<b>HM212000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249, B251
<b>HM218200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>HM516400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B257
<b>HM518400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259
<b>HM617000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259

Bearing series (series name)	Description	Page
<b>HM624700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>HM801300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235, B237
<b>HM803100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239
<b>HM804800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239, B241
<b>HM807000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237, B239, B241, B245
<b>HM813800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247, B249, B251, B253
<b>HM81600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>HM88500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>HM88600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B231, B233
<b>HM89400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231, B233
<b>HN</b>	Locknut for withdrawal sleeve	C46, C51
<b>HNL</b>	Locknut for withdrawal sleeve	C46, C51
<b>IM</b>	Inner ring for machine-tool quality precision-combined bearing, without lubrication hole, metric series	B363, B476
<b>IM-P</b>	Inner ring for needle roller bearing, without lubrication hole, metric series	B363, B463, B466
<b>IR</b>	Inner ring for heavy-duty needle roller bearing, inch series	B363, B440, B478
<b>IR-</b>	Inner ring for heavy-duty needle roller bearing, inch series	A8, A55, A56, A59, B363, B440, B478
<b>J</b>	Drawn cup needle roller bearing, caged, open ends, inch series	A8, B363, B424
<b>JB</b>	Sealed type tapered roller bearing for railway rolling stock axle journal, sealed type cylindrical roller bearing	C22, C27, C29
<b>JC</b>	Cylindrical roller bearing for railway rolling stock axle journal	C22, C25
<b>JH</b>	Drawn cup needle roller bearing, caged, open ends, inch series, high load capacity	A8, B363, B424
<b>JH211700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B251
<b>JH217200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259
<b>JH307700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247
<b>JH415600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255
<b>JHM318400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>JHM516800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259
<b>JHM522600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>JHM534100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>JHM720200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263
<b>JHM807000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>JHM840400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>JL69300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233
<b>JLM104900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>JLM506800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245
<b>JLM508700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247
<b>JLM710900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249
<b>JLM714100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255
<b>JLM813000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253

## Bearing No. index

Bearing series (series name)	Description	Page
<b>JM205100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>JM207000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B247
<b>JM511900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B249
<b>JM515600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B257
<b>JM612900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253
<b>JM714200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B255
<b>JM716600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259
<b>JM718100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>JM719100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>JM720200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263
<b>JM734400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>JM736100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>JM738200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>JM822000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B265
<b>JR</b>	Inner ring for needle roller bearing, without lubrication hole, metric series	B363, B415, B461, B466
<b>JR--JS1</b>	Inner ring for needle roller bearing, with lubrication hole, metric series	B363, B466
<b>JRZ--JS1</b>	Inner ring for needle roller bearing, with lubrication hole, without raceway chamfer, metric series	B363, B466
<b>K</b>	Radial needle roller and cage assembly, single-row, metric series	A8, B363, B380
<b>K.811</b>	Thrust cylindrical roller and cage assemblies, without races, metric series	A12, B363, B448
<b>K.812</b>	Thrust cylindrical roller and cage assemblies, without races, metric series	A12, B363, B448
<b>K-ZW</b>	Radial needle roller and cage assembly, double-row, metric series	A8, B363, B382
<b>K-A</b>	K-series super thin section ball bearing, angular contact type, the T, A, B, and C between K and A indicate the cross-section dimensions	C2, C9
<b>K-C</b>	K-series super thin section ball bearing, deep groove type, the T, A, B, and C between K and C indicate the cross-section dimensions	C2, C9
<b>K-X</b>	K-series super thin section ball bearing, four-point contact type, the T, A, B, and C between K and X indicate the cross-section dimensions	C2, C9
<b>KJA--RD</b>	K-series super thin section ball bearing, angular contact type, with seal	C2, C19
<b>KUC--2RD</b>	K-series super thin section ball bearing, deep groove type, with seals	C2, C19
<b>KUX--2RD</b>	K-series super thin section ball bearing, four-point contact type, with seals	C2, C19
<b>L</b>		
<b>L102800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B239
<b>L21500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>L217800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B259
<b>L305600R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B243
<b>L319200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>L327200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>L435000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>L44600R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227

Bearing series (series name)	Description	Page
<b>L45400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B229
<b>L521900R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263
<b>L540000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>L555200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>L68100</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B233
<b>LL319300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B261
<b>LL713000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253
<b>LM102900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>LM11700R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>LM11900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>LM12700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>LM245800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>LM29700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B235
<b>LM48500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>LM501300</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237
<b>LM503300R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>LM522500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B263, B265
<b>LM603000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>LM613400</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B253
<b>LM67000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>LM72800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227
<b>LM806600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B245
<b>LM814800</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B257
<b>LS</b>	Needle roller thrust bearing, assemblies, washers, thrust needle roller and cage assemblies, thrust washers, metric series	A12, B363, B444
<b>M</b>		
<b>M12600</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B225
<b>M246900</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>M249700</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>M349500</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B267
<b>M802000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B237
<b>M804000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B241
<b>M84200</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227
<b>M86600R</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B227, B229
<b>M88000</b>	Single-row tapered roller bearing, inch series	A9, A55, A56, A59, B231
<b>MJ--1</b>	Drawn cup needle roller bearing, caged, closed one end, inch series	A8, B363, B424
<b>MJH--1</b>	Drawn cup needle roller bearing, caged, closed one end, inch series, high load capacity	A8, B363, B424
<b>ML</b>	Extra-small ball bearing, miniature ball bearing, open type	A4, A56, B5, B40
<b>ML--ZZ</b>	Extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B42
<b>MLF</b>	Extra-small ball bearing, miniature ball bearing, flanged type, open type	A4, A56, B5, B46
<b>N</b>		
<b>N2</b>	Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs	A7, A56, B139, B142
<b>N3</b>	Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs	A7, A56, B139, B142

## Bearing No. index

Bearing series (series name)	Description	Page
<b>N4</b>	Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs	A7, A56, B139, B144
<b>NAXK</b>	Combined needle roller bearing, combination heavy-duty needle roller and thrust ball bearing, caged, without inner ring, metric series	B363, B460
<b>NAXK--Z</b>	Combined needle roller bearing, combination heavy-duty needle roller and thrust ball bearing, caged, without inner ring, with dust cap, metric series	B363, B460
<b>NAXR</b>	Combined needle roller bearing, combination heavy-duty needle roller and thrust cylindrical roller bearing, caged, without inner ring, metric series	B363, B462
<b>NAXR--Z</b>	Combined needle roller bearing, combination heavy-duty needle roller and thrust cylindrical roller bearing, caged, without inner ring, with dust cap, metric series	B363, B462
<b>NF2</b>	Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs	A7, A56, B139, B142
<b>NF3</b>	Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs	A7, A56, B139, B142
<b>NF4</b>	Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs	A7, A56, B139, B144
<b>NJ2</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side	A7, A56, B139, B142
<b>NJ22</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side	A7, A56, B139, B142
<b>NJ23</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side	A7, A56, B139, B142
<b>NJ3</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side	A7, A56, B139, B142
<b>NJ4</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side	A7, A56, B139, B144
<b>NK</b>	Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, metric series	A8, A55, A56, A59, B363, B432
<b>NKS</b>	Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series	A8, A55, A56, A59, B363, B433
<b>NN30</b>	Double-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs	A7, A55, A56, B139, B178
<b>NN30--K</b>	Double-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs, tapered bore	A7, A56, B139, B178
<b>NNU49</b>	Double-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B178
<b>NNU49--K</b>	Double-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs, tapered bore	A7, A56, B139, B178
<b>NTA</b>	Thrust needle roller and cage assemblies, without races, two-piece cage, inch series	A12, B363, B452
<b>NU10</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142
<b>NU2</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142

Bearing series (series name)	Description	Page
<b>NU22</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142
<b>NU23</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142
<b>NU3</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142
<b>NU32</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B142
<b>NU33</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B144
<b>NU4</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs	A7, A55, A56, B139, B144
<b>NUP10</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B142
<b>NUP2</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B142
<b>NUP22</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B142
<b>NUP23</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B142
<b>NUP3</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B142
<b>NUP4</b>	Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib	A7, A56, B139, B144
<b>RAXZ5</b>	Combined needle roller bearing, combination heavy-duty needle roller and thrust cylindrical roller bearing, caged, without inner ring, with dust cap, non-separable design, metric series	B363, B462
<b>RNA48</b>	Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series	A8, A55, A56, A59, B363, B438
<b>RNA49</b>	Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series	A8, A55, A56, A59, B363, B432
<b>RNA69</b>	Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series	A8, A55, A56, A59, B363, B432
<b>SDE</b>	Linear ball bearing, metric series	C32, C35
<b>SDM</b>	Linear ball bearing, metric series	C32, C35
<b>SDMF</b>	Linear ball bearing, round-flanged type, metric series	C32, C41
<b>SDMK</b>	Linear ball bearing, square-flanged type, metric series	C32, C41
<b>TR</b>	Race A, B, C, etc. indicates race thickness	A12, B363, B452

## Bearing No. index

Bearing series (series name)	Description	Page
<b>W</b> <b>W60..ZZX</b>	Extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B40
<b>W68..2RD</b>	Extra-small ball bearing, miniature ball bearing, extremely light contact sealed	A4, A56, B5, B44
<b>W68..2RS</b>	Extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B44
<b>W68..2RU</b>	Extra-small ball bearing, miniature ball bearing, non-contact sealed	A4, A56, B5, B44
<b>W68..ZZ</b>	Extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B40
<b>W69..ZZ</b>	Extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B40
<b>WF60..ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>WF68..ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>WF69..ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>WJ</b>	Radial needle roller and cage assembly, single-row, inch series, high load capacity	A8, B363, B408
<b>WJC</b>	Radial needle roller and cage assembly, single-row, inch series	A8, B363, B408
<b>WML..2RS</b>	Extra-small ball bearing, miniature ball bearing, contact sealed	A4, A56, B5, B42
<b>WML..ZZ</b>	Extra-small ball bearing, miniature ball bearing, shielded	A4, A56, B5, B40
<b>WMLF..ZZ</b>	Extra-small ball bearing, miniature ball bearing, flanged type, shielded	A4, A56, B5, B46
<b>WS.811</b>	Race, thrust needle roller and cylindrical roller, shaft piloted, metric series	A12, B363, B444
<b>WS.812</b>	Race for thrust cylindrical roller and cage assembly, shaft piloted, metric series	A12, B363, B448

## Term index Page numbers in bold indicate detailed pages.

Term	Page	Term	Page
<b>A</b> adapter	A6, A10, A91, <b>A136</b> , A145	constant pressure preloading	<b>A112</b> , A113
additives	A124, <b>A125</b> , A128, A154	contact angle	<b>A1</b> , A5, A6, A9, A39, A54, A56, A103, A116
allowable aligning angle	<b>B125</b> , <b>B293</b> , <b>B355</b>	contact angle code	<b>A54</b> , A56, A57
allowable axial load	A14, <b>A44</b> , A49, <b>B141</b>	contamination factor	A27, <b>A29</b>
allowable misalignment	<b>B7</b> , <b>B58</b> , <b>B141</b> , <b>B187</b> , <b>B337</b>	corrosion	<b>A154</b> , <b>A155</b>
amount of grease	<b>A117</b>	crack	A141, A150, <b>A152</b> , <b>A153</b> , A156, A157
amount of mist	A121, <b>A123</b>	cracking	A150, <b>A152</b> , <b>A153</b> , A156, A157
amount of preload	A15, <b>A112</b> , <b>A113</b> , <b>A114</b> , A116, A147	creeping	A24, A86, <b>A156</b>
axial internal clearance	<b>A99</b> , A103, A104, A111	cup grease	<b>A124</b> , A137
<b>B</b> base oil	<b>A124</b> , A126	<b>D</b> damage to cage	<b>A156</b>
basic number	<b>A54</b> , A56	diameter series	A17, A44, A49, <b>A52</b> , A53, A55
basic rating life	<b>A24</b> , A25, A26, A27	dimension series	A9, A16, A17, <b>A52</b> , A53, A54, A55
bearing arrangement	A14, <b>A20</b> , A21, A22, A23	discoloration	<b>A154</b> , <b>A155</b>
bearing ring	<b>A1</b> , A5, A6, A54, A56, A130	dismounting	A15, A17, <b>A148</b> , <b>A149</b>
bearing series	<b>A54</b> , A55, A56, A57	distribution load	A43
bearing steel	A57, A88, A101, <b>A130</b> , A131	dynamic equivalent load	A14, A24, A25, <b>A38</b> , A40, A49, A84
bentone	<b>A124</b> , A125	dynamic load rating	A14, <b>A24</b> , A25, A26, <b>A38</b> , A46, A48, A49, A51, A84, A130
bore diameter number	<b>A52</b> , A54, A56, A114	<b>E</b> effective clearance	<b>A99</b> , A100
brinelling	A141, A147, <b>A152</b> , <b>A153</b> , A154, A155, A156, A157	effective interference	<b>A88</b> , <b>A89</b> , A101, A143
<b>C</b> cage	<b>A1</b> , A4, A5, A6, A7, A8, A9, A10, A11, A12, A13, A14, A54, A56, A57, A85, A130, A132, A156	electric pitting	<b>A154</b>
cage material / shape code	A57	end plate	<b>A136</b>
calcium complex soap	<b>A125</b>	equivalent axial load	<b>B141</b> , <b>B337</b> , <b>B355</b>
calcium grease	<b>A124</b> , A137	equivalent radial load	<b>B7</b> , <b>B58</b> , B59, <b>B125</b> , <b>B141</b> , <b>B187</b> , <b>B293</b>
calcium soap	<b>A124</b>	extreme pressure agent	A29, <b>A125</b>
calculated interference	<b>A88</b>	<b>F</b> failure	<b>A24</b> , A152, A153, A154, A155, A156, A157
case hardened steel	<b>A130</b>	fatigue load limit	A26, A27, <b>A29</b>
chamfer	A4, A11	feeding interval	<b>A118</b>
chamfer dimension	<b>A52</b> , A58, A78, A133, A134	fiber grease	<b>A124</b>
clearance fit	<b>A86</b> , <b>A87</b> , A90, A111, A142, A153	fillet	<b>A133</b> , <b>A134</b> , A141, A153
comparison of performance	A14, A16, <b>A18</b>	filling slot	<b>A4</b> , A5, A18, A55, <b>B57</b>
complex base grease	<b>A125</b>	fit	A15, <b>A86</b> , A87, A88, A89, A100, A101, A133, A134, A142, <b>B7</b> , <b>B57</b> , <b>B125</b> , <b>B140</b> , <b>B186</b> , <b>B293</b> , <b>B337</b> , <b>B355</b> , <b>B376</b>
consistency	<b>A125</b> , A126, A127, A137		



**Term index** Page numbers in bold indicate detailed pages.

Term	Page
flaking	A24, A147, A150, <b>A152, A153</b>
flinger	A137, <b>A138</b>
fluorine compounds	<b>A124</b> , A125
forced oil circulation	A85, <b>A122</b>
fretting	A24, <b>A156, A157</b>
frictional coefficient	<b>A85</b> , A122
gear coefficient	<b>A34</b> , A50
grease	A57, <b>A117</b> , A118, <b>A124, A125</b> , A126, A140
grease code	A57
grease lubrication	A29, A44, A84, <b>A117</b> , A137, A140
grease service life	A15, <b>A118, A119</b>
heavy preload	A57, <b>A114</b> , A115
height series	A52, A53
HM	<b>A139</b>
HMA	<b>A139</b>
HMS	<b>A139</b>
HMSA	<b>A139</b>
HMSAH	<b>A139</b>
HMSH	<b>A139</b>
inner case	<b>A139</b>
inner ring back face rib	A9
inner ring front face rib	A9, A10
inspection	<b>A150</b>
inspection of shaft and housing	<b>A141</b>
interference	A21, A23, A86, <b>A88, A89</b> , A93, A96, A111, A115, A142, A143, A144, A148, A153, A157
interference fit	<b>A86, A87</b> , A90, A111, A142, A148
internal clearance	A15, A54, A57, <b>A99, B57, B186, B376</b>
internal design code	<b>A54</b> , A56
J series	A94, <b>A59</b> , A72
kinematic viscosity	A29, A30, <b>A128</b> , A129
labyrinth	A137, <b>A138</b>
life	A14, <b>A24</b> , A40, A46, A48, A50, A114, A117, A130, A152
life modification factor	A26, <b>A27</b> , A28
life modification factor for reliability	<b>A27</b>
light preload	A57, <b>A114</b> , A115

Term	Page
limiting speed	A15, A16, <b>A84</b> , A85
lithium complex soap	<b>A125</b>
lithium grease	<b>A124</b>
lithium soap	<b>A124</b>
load center	A5, A6, A9, A39, A113
load coefficient	<b>A32</b> , A34, A38, A42, A50
locating snap ring	A4, <b>A53</b> , A56
lubricant	A14, A15, A29, A117, <b>A124</b> , A140, A141, A147, A151, A155, A157
lubricating oil	A121, A122, <b>A124, A128</b> , A129
lubrication	<b>A117</b>
lubrication conditions	A14, A29
lubrication groove	A7, A8, A9, A10, <b>A56</b> , A123, <b>A137, B292</b>
lubrication hole	A7, A8, A9, A10, A56, A123, <b>B292</b>
lubrication method	A15, A85, <b>A117</b> , A153, A155, A157
maintenance	<b>A150</b>
material	A14, <b>A130, A132</b> , A140
material code	A57
measured clearance	<b>A99</b> , A102, A103
measuring method	<b>A80</b>
medium preload	A57, <b>A114</b> , A115
MH	<b>A139</b>
MHA	<b>A139</b>
MHS	<b>A139</b>
MHSA	<b>A139</b>
mineral oil	<b>A124</b> , A125, A126, A128
minor lip	<b>A139</b>
modified rating life	<b>A26</b> , A27
mounting	A15, A17, <b>A141</b> , A142, A143, A144, A145, A146
mounting design	<b>A136</b>
mounting dimensions	A15, <b>A134</b>
MS	<b>A139</b>
nicks	<b>A152, A153</b>
NLGI	<b>A125</b> , A127
noise	<b>A147</b>
non-soap base grease	<b>A124</b> , A125
NR	A4, A56
oil / air lubrication	A85, <b>A122</b>
oil bath	<b>A120</b>

Term	Page
oil drip	<b>A120</b>
oil jet lubrication	A85, <b>A121, A122</b>
oil lubrication	A13, A44, A47, A49, A84, <b>A117, A120</b>
oil mist lubrication	<b>A123</b>
oil seal	<b>A139</b> , A140
oil splash	<b>A120</b>
operating clearance	<b>A99, A100</b> , A101
original clearance	<b>A99</b> , A100
oxidation inhibitor	<b>A125</b> , A128
pear skin	<b>A154, A155</b>
position preloading	<b>A112</b> , A113
preload	A16, A57, <b>A112, A113</b> , A155, A157
preload code	A57
press fit	<b>A142</b> , A143
radial internal clearance	A57, <b>A99</b> , A102, A104, A105, A106, A108, A110, A111, A145, A146, <b>B7, B125, B140, B293</b>
RD	A4, A56
recommended fits	<b>A90</b> , A91, A92, A93, A94, A95, A96, A97, A98, A114, A115
required service life	A14, A25, <b>A31</b> , A48, A49
residual clearance	<b>A99</b> , A100, A146
rib	A7, A8, A44
rolling element	<b>A1</b> , A6, A16, A24, A29, A42, A101, A130, A147, A156
rotating inner ring load	<b>A87</b> , A90, A94, A95, A96, A97, A98
rotating outer ring load	<b>A87</b> , A90, A94, A95, A96, A97, A98
RS	A4, A5, A6, A8, A56, A85
RU	A4, A56
rubbing speed	A85, <b>A140</b>
rust	<b>A154, A155</b>
safety coefficient	A14, <b>A43</b>
scratch	<b>A154, A155</b>
scuffing	<b>A154, A155</b>
seal code	A56
sealing device	A15, <b>A137</b> , A138, A139, A140
sealing edge	<b>A139</b>
sealing lip	<b>A139</b>
seizure	A24, A153, A154, <b>A156</b>

Term	Page
service life of bearing system	<b>A30</b>
shaft and housing design	<b>A133</b>
shaft locknut	<b>A136</b>
shrink fit	A142, <b>A144</b>
slight preload	A57, <b>A114</b> , A115
smearing	<b>A154, A155</b>
snug fit	<b>A86</b>
sodium grease	<b>A124</b>
sodium soap	<b>A124</b>
spacer code	A57
spray lubrication	<b>A121</b>
standard cage	<b>B7, B58, B125, B140, B186, B293, B337, B355</b>
stand-out	<b>A5</b> , A9, A56, A112
static equivalent load	A14, <b>A42</b> , A43
static load rating	A14, A24, <b>A42</b> , A43, A88
stationary inner ring load	<b>A87</b> , A90, A98
stationary outer ring load	<b>A87</b> , A90, A98
storage	<b>A141</b>
structure	<b>A1</b>
supplementary code	A5, A9, A10, A54, <b>A57</b>
synthetic oil	<b>A124</b> , A125, A128
tapered bore	A6, A7, A10, A17, A52, A54, A56, A58, A61, A63, <b>A76</b> , A80, A91, A105, A107, A136, A142, A145, A146, A149
test run	<b>A146</b>
thickener	<b>A124</b> , A125, A126
tolerance	<b>A58</b> , A59, B7, B57, B125, B140, B186, B293, B337, B355, B368
tolerance class	A15, A54, A57, <b>A58, A59</b> , A93, A94, A95, A96, A97
transition fit	<b>A86</b> , A90
urea compounds	<b>A124</b> , A125
viscosity grade	<b>A129</b>
viscosity ratio	A27, <b>A29</b>
wear	A24, <b>A156, A157</b>
width series	A17, A52, A53, A55
withdrawal sleeve	A10, A91, <b>A136</b> , A145
Z	A4, A5, A54, A56

# GLOBAL NETWORK

http : // www. jtekt. co. jp

For further information on our products, please contact your nearest office.

## OFFICES

### KOYO CANADA INC.

3800A Laird Road, Units 4 & 5 Mississauga, Ontario L5L 0B2,  
CANADA  
TEL : 1-905-820-2090  
FAX : 1-877-326-5696

### JTEKT NORTH AMERICA CORPORATION

#### -Main Office-

47771 Halyard Drive, Plymouth, MI 48170, U.S.A.  
TEL : 1-734-454-1500  
FAX : 1-734-454-7059

#### -Cleveland Office-

29570 Clemens Road, P.O.Box 45028, Westlake,  
OH 44145, U.S.A.  
TEL : 1-440-835-1000  
FAX : 1-440-835-9347

#### -Chicago Office-

316 W University Dr., Arlington Heights, IL 60004, U.S.A.  
TEL : 1-847-253-0340  
FAX : 1-847-253-0540

### KOYO MEXICANA, S.A. DE C.V.

Av. Insurgentes Sur 2376-505, Col. Chimalistac, C.P. 01070,  
Del. Álvaro Obregón, México, D.F.  
TEL : 52-55-5207-3860  
FAX : 52-55-5207-3873

### KOYO LATIN AMERICA, S.A.

Edificio Banco del Pacifico, Planta Baja, Calle Aquilino de la  
Guardia y Calle 52, Panama, REPUBLICA DE PANAMA  
TEL : 507-208-5900  
FAX : 507-264-2782/507-269-7578

### KOYO ROLAMENTOS DO BRASIL LTDA.

Avenida Brigadeiro Faria Lima, 1744 - 1st Floor - C.J. 11, Jardim  
Paulistano, São Paulo - SP - Brazil CEP 01451-001  
TEL : 55-11-3372-7500  
FAX : 55-11-3887-3039

### KOYO MIDDLE EAST FZE

6EA 801, Dubai Airport Free Zone, P.O. Box 54816, Dubai, U.A.E.  
TEL : 97-1-4299-3600  
FAX : 97-1-4299-3700

### KOYO BEARINGS INDIA PVT. LTD.

506-507, 5th Floor, Suncity Business Tower, Golf Course  
Road, Sector-54, Gurgaon-122002, Haryana, INDIA  
TEL : 91-124-4264601/03  
FAX : 91-124-4288355

### JTEKT (THAILAND) CO., LTD.

172/1 Moo 12 Tambol Bangwua, Amphur Bangpakong,  
Chachoengsao 24180, THAILAND  
TEL : 66-38-533-310-7  
FAX : 66-38-532-776

### PT. JTEKT INDONESIA

Jl. Surya Madya Plot I-27b, Kawasan Industri Surya Cipta,  
Kutanegara, Ciampel, Karawang Jawa Barat, 41363 INDONESIA  
TEL : 62-267-8610-270  
FAX : 62-267-8610-271

### KOYO SINGAPORE BEARING (PTE.) LTD.

27, Penjuru Lane, Level 5, Phase 1 Warehouse #05-01.  
SINGAPORE 609195  
TEL : 65-6274-2200  
FAX : 65-6862-1623

### PHILIPPINE KOYO BEARING CORPORATION

8th Floor, One World Square Building, #10 Upper McKinley  
Road, McKinley Town Center Fort Bonifacio, 1634 Taguig City,  
PHILIPPINES  
TEL : 63-2-856-5046/5047  
FAX : 63-2-856-5045

### JTEKT KOREA CO., LTD.

Seong-do Bldg 13F, 207, Dosan-dearo, Gangnam-Gu, Seoul,  
KOREA  
TEL : 82-2-549-7922  
FAX : 82-2-549-7923

### JTEKT (CHINA) CO., LTD.

Room 25A2, V-CAPITAL Building, 333 Xianxia Road, Changning  
District, Shanghai 200336, CHINA  
TEL : 86-21-5178-1000  
FAX : 86-21-5178-1008

### KOYO AUSTRALIA PTY. LTD.

Unit1/17 Stanton Road, Seven Hills, NSW, 2147, AUSTRALIA

### JTEKT EUROPE BEARINGS B.V.

Markerkant 13-01, 1314 AL Almere, THE NETHERLANDS  
TEL : 31-36-5383333  
FAX : 31-36-5347212

### -Benelux Branch Office-

Energieweg 10a, 2964 LE, Groot-Ammers, THE NETHERLANDS  
TEL : 31-184-606800  
FAX : 31-184-606857

### KOYO KULLAGER SCANDINAVIA A.B.

Johanneslundsvägen 4, 194 61 Upplands Väsby, SWEDEN  
TEL : 46-8-594-212-10  
FAX : 46-8-594-212-29

### KOYO (U.K.) LIMITED

Whitehall Avenue, Kingston, Milton Keynes MK10 0AX,  
UNITED KINGDOM  
TEL : 44-1908-289300  
FAX : 44-1908-289333

### KOYO DEUTSCHLAND GMBH

Bargkoppelweg 4, D-22145 Hamburg, GERMANY  
TEL : 49-40-67-9090-0  
FAX : 49-40-67-9203-0

### KOYO FRANCE S.A.

1 rue François Jacob, 92500, Rueil Malmaison, FRANCE  
TEL : 33-1-4139-8006/18

### KOYO IBERICA, S.L.

Centro de Negocios, Call La Mancha no.1, oficina 1.2 28823  
costada, Madrid, SPAIN  
TEL : 34-91-329-0818  
FAX : 34-91-747-1194

### KOYO ITALIA S.R.L.

Via Stephenson 43/a 20157 Milano, ITALY  
TEL : 39-02-2951-0844  
FAX : 39-02-2951-0954

### -Romanian Representative Office-

24, Lister Street, ap. 1, sector 5, Bucharest, ROMANIA  
TEL : 40-21-410-4182  
FAX : 40-21-410-1178

## PUBLISHER

### JTEKT CORPORATION NAGOYA HEAD OFFICE

No.7-1, Meieki 4-chome, Nakamura-ku, Nagoya, Aichi 450-8515, JAPAN TEL:81-52-527-1900 FAX:81-52-527-1911

### JTEKT CORPORATION OSAKA HEAD OFFICE

No.5-8, Minamisemba 3-chome, Chuo-ku, Osaka 542-8502, JAPAN TEL:81-6-6271-8451 FAX:81-6-6245-3712

### Sales & Marketing Headquarters

No.5-8, Minamisemba 3-chome, Chuo-ku, Osaka 542-8502, JAPAN TEL:81-6-6245-6087 FAX:81-6-6244-9007

# Koyo® Ball & Roller Bearings



CAT. NO. B2001E-7  
Printed in Japan '17.09-3CDS (06.1)

## JTEKT

JTEKT CORPORATION